

| Product and manufacturer details | |
|----------------------------------|--|
| Product Name: | 180 S-Line pre-painted right hand metal fascia soaker |
| Product Identifier: | 18SSRPM-COM |
| Manufacturer’s Name & Address | Continuous Group Ltd, 6 Yashili Drive, Pokeno 2402 |
| Manufacturer’s Email Address | cg@continuous.co.nz |
| Manufacturer’s Web Address | www.continuous.co.nz |
| Manufacturer’s NZBN | 9429034817001 |
| Place of Manufacture | Aotearoa New Zealand |
| Warnings & Bans | No |

Product description

180 S-Line pre-painted right hand metal fascia soaker is a component used in the installation of the S-Line fascia system.

Table 1

| System Components | Component - Material |
|---------------------------------|--|
| CG 180 S-Line Right Hand Soaker | Manufactured from “Factory Painted” pre-painted metal that complies with NZS:2728 (Eg: ColorCote or Colorsteel brands) Minimum 0.50mm BMT, grade G300 steel with minimum 200gsm zinc/alloy coating (Type 6) |

Installation Requirements

Refer to BPIR:18SPM-SYS:2023:V1 pre-painted metal fascia systems for full system and installation details.

Scope of use

180 S-Line pre-painted right hand metal fascia soakers are designed to fit S-Line fascia.

Limitations of the use of this building product:

1. The component cannot be installed onto incompatible materials. The component cannot run-off onto incompatible materials. Material Compatibility, Contact and Run off to be adhered to in accordance with E2/AS1 Table 20, 21 & 22
2. The component cannot be used in Exposure zone “E” (Reference E2/AS1-table 20)
3. Site locations must be evaluated in areas with high wind &/or salt &/or thermal/industrial atmospheric conditions. These types of locations may require specific engineering design (SED). Designers must consult metal supplier’s information for specific durability requirements (Reference E2/AS1 table 20)

Maintenance Requirements

(Link to Care and Maintenance Document below under “Supporting Documentation”)

1. Inspection of the product is required every 3 months to check for buildup of residue and organic matter on the face and underside of the fascia.
2. Wash the painted surface of the product at a minimum of every 6 months and immediately after inspection when required.

Continuous Group Limited - Building Product Information – 180 S-Line pre-painted right hand metal fascia soaker

Relevant building code clauses.

| Compliance/Regulation | Detail |
|--------------------------|------------------------|
| NZBC B1 Structure | B1.3.1, B1.3.2, B1.3.3 |
| E2/AS1 External Moisture | Table 20 |

180 S-Line pre-painted right hand metal fascia soaker contributes to compliance by –

NZBC B1 Structure sections 3.1, 3.2 & 3.3

- The materials shown in Table 1 meet performance requirements of B1.3.1, 3.2 and 3.3.

E2/AS1 Table 20: “Material Selection”

- The 180 S-Line Fascia soaker is classified as “Sheltered” and material selection shown in Table 1 of this BPIR meets the requirements of table 20 for exposure Zones B,C & D: “Factory painted” material to NZS 2728 (Type 6)

Supporting documentation

The following additional documentation supports the above statements:

| Document name | Weblinks |
|---|--|
| 180mm S-Line Fascia Brochure & Specification Document | 180 S-Line Fascia Brochure and Specification 2021.pdf |
| 180mm S-Line Construction & Drop Height Details | 180 S-Line Fascia Construction and Drop Height Details Metal and Concrete Roofing 2021.pdf |
| Colorcote BPIR Document | Colorcote - MagnaFlow Datasheet 2023-1.pdf (colorcote.co.nz) |
| Colorsteel BPIR Document | NZ Steel Product Information Documents |
| Maintenance Document | Continuous Group Maintenance Document.pdf |
| Material Compatibility Selection | Continuous Group Material Compatibility - Material Selection v1.pdf |
| Material Compatibility in Contact | Continuous Group Material Compatibility - Compatibility of materials in contact v1.pdf |
| Material Compatibility subject to Run Off | Continuous Group Material Compatibility - Compatibility of materials subject to run off v1.pdf |
| Warranty Document | Continuous Group Warranties |